Archives of Microbiology

Founded in 1930 as
Archiv für Mikrobiologie

Managing Editors

G. Drews, Freiburg i. Br.
H. G. Schlegel, Göttingen

Editors

G. Drews, Freiburg i. Br.
R. Emerson, Berkeley
K. Esser, Bochum
G. Gottschalk, Göttingen
A. A. Imshenetsky, Moskwa
W. Loeffler, Tübingen
C. B. van Niel, Pacific Grove
R. Nilsson, Uppsala
N. Pfennig, Göttingen
G. Piekarski, Bonn
S. C. Rittenberg, Los Angeles
C. F. Robinow, London (Can.)
H. G. Schlegel, Göttingen
R. Y. Stanier, Paris
H. Stolp, Hamburg
H. Tamiya, Tokyo
R. Thauer, Bochum
T. O. Wikén, Delft
J. F. Wilkinson, Edinburgh
H. Zähner, Tübingen

Volume 99 1974

Springer-Verlag Berlin Heidelberg New York

The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproductions, also in microform, is transferred to the publisher.

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Springer-Verlag Berlin · Heidelberg · New York

Printed in Germany by Wiesbadener Graphische Betriebe GmbH, D-6200 Wiesbaden

© by Springer-Verlag Berlin · Heidelberg 1974

Contents

Aliotta, G., s. Rigano, C., *et al.* . . . 81
Andreesen, M., s. Nandadasa, H. G., *et al.* . . . 15
Baldensperger, J., Guarraia, L. J., Humphreys, W. J.: Scanning Electron Microscopy of Thiobacilli Grown on Colloïdal Sulfur . . . 323
Bauer, Š., s. Košinová, A., *et al.* . . . 255
Blackwell, M.: A Study of Storophore Development in the Myxomycete *Protophysarum phloiogenum* . . . 331
Burchard, R. P.: Studies on Gliding Motility in *Myxococcus xanthus* . . . 271
Carr, N. G., s. Herdman, M. . . . 251
Collinge, A. J., Trinci, A. P. J.: Hyphal Tips of Wild-Type and Spreading Colonial Mutants of *Neurospora crassa* . . . 353
Dierstein, R., Drews, G.: Nitrogen-Limited Continuous Culture of *Rhodopseudomonas capsulata* Growing Photosynthetically of Heterotrophically under Low Oxygen Tensions . . . 117
Dorn, E., Hellwig, M., Reineke, W., Knackmuss, H.-J.: Isolation and Characterization of a 3-Chlorobenzoate Degrading Pseudomonad . . . 61
Drews, G., s. Dierstein, R. . . . 117
Egel, R., s. Kröning, A. . . . 241
Fähnrich, P.: Untersuchungen zur Entwicklung des Phycomyceten *Allomyces arbuscula*. II. Einfluß von Inhibitoren der Protein- und Nucleinsäuresynthese auf die Gametogenese . . . 147
Farkaš, V., s. Košinová, A., *et al.* . . . 255
Fay, P., de Vasconcelos, L.: Nitrogen Metabolism and Ultrastructure in *Anabaena cylindrica*. II. The Effect of Molybdenum and Vanadium . . . 221
Finnerty, W. R., s. Sampson, K. L. . . . 203
Fukui, S., s. Osumi, M., *et al.* . . . 181
Gessat, M., Jantzen, H.: Die Bedeutung von Adenosin-3′,5′-monophosphat für die Entwicklung von *Acanthamoeba castellanii* . . . 155
Grimme, L. H., Porra, R. J.: The Regreening of Nitrogen-Deficient *Chlorella fusca*. I. The Development of Photosynthetic Activity during the Synchronous Regreening of Nitrogen-Deficient *Chlorella* (Short Communication) . . . 173
Guarraia, L. J., s. Baldensperger, J., *et al.* . . . 323
Hasenböhler, A., Kneifel, H., König, W. A., Zähner, H., Zeiler, H.-J.: Stoffwechselprodukte von Mikroorganismen. 134. Mitteilung. Stenothricin, ein neuer Hemmstoff der bakteriellen Zellwandsynthese . . . 307
Hellwig, M., s. Dorn, E., *et al.* . . . 61
Herdman, M., Carr, N. G.: Estimation of the Genome Size of Blue-Green Algae from DNA Renaturation Rates . . . 251
Heywood, P.: Occurrence of Microbodies in Chloromonadophycean Algae . . . 265
Hieke, E., Vollbrecht, D.: Zur Bildung von Butanol-2 durch Lactobacillen und Hefen . . . 345
Holmes, P. E., s. Tuttle, J. H., *et al.* . . . 1
Humphreys, W. J., s. Baldensperger, J., *et al.* . . . 323
Jannasch, H. W., s. Tuttle, J. H., *et al.* . . . 1
Jantzen, H., s. Gessat, M. . . . 155
Jungermann, K., Schön, G.: Pyruvate Formate Lyase in *Rhodospirillum rubrum Ha* Adapted to Anaerobic Dark Conditions . . . 109
Knackmuss, H.-J., s. Dorn, E., *et al.* . . . 61
Kneifel, H., s. Hasenböhler, A., *et al.* . . . 307
König, W. A., s. Hasenböhler, A., *et al.* . . . 307
Koenigs, J. W.: Production of Hydrogen Peroxide by Wood-Rotting Fungi in Wood and Its Correlation with Weight Loss, Depolymerization, and pH Changes . . . 129

Kondo, K., s. Tsuboi, M., *et al.* 295
Košinová, A., Farkaš, V., Machala, S., Bauer, Š.: Site of Mannan Synthesis in Yeast. An Autoradiographic Study 255
Kröning, A., Egel, R.: Autolytic Activities Associated with Conjugation and Sporulation in Fission Yeast 241
Machala, S., s. Košinová, A., *et al.* 255
McFadden, B. A., s. Tabita, F. R. 231
Miwa, N., s. Osumi, M., *et al.* 181
Nandadasa, H. G., Andreesen, M., Schlegel, H. G.: The Utilization of 2-Ketogluconate by *Hydrogenomonas eutropha H16* 15
Ober, K.: Effects of Diazepam on Cell Division Rates and Productivity of *Scenedesmus obliquus* in Synchronous Cultures 369
Osumi, M., Miwa, N., Teranishi, Y., Tanaka, A., Fukui, S.: Ultrastructure of *Candida* Yeasts Grown on *n*-Alkanes. Appearance of Microbodies and Its Relationship to High Catalase Activity 181
Porra, R. J., s. Grimme, L. H. 173
Reineke, W., s. Dorn, E., *et al.* 61
Rigano, C., Aliotta, G., Violante, U.: Reversible Inactivation by Ammonia of Assimilatory Nitrate Reductase in *Cyanidium caldarium* 81
Rogers, P. J., Stewart, P. R.: Energetic Efficiency and Maintenance Energy Characteristics of *Saccharomyces cerevisiae* (Wild Type and Petite) and *Candida parapsilosis* Grown Aerobically and Micro-Aerobically in Continuous Culture 25
Rogers, P. J., Stewart, P. R.: Mitochondrial Protein Synthesis in Aerobic and Micro-Aerobic Continuous Cultures of *Candida parapsilosis* 47
Sampson, K. L., Finnerty, W. R.: Regulation of Fatty Acid Biosynthesis in the Hydrocarbon Oxidizing Microorganism, *Acinetobacter* sp. 203
Schlegel, H. G., s. Nandadasa, H. G., *et al.* 15
Schön, G., s. Jungermann, K. 109
Stewart, P. R., s. Rogers, P. J. 25,47
Tabita, F. R., McFadden, B. A.: One-Step Isolation of Microbial Ribulose-1,5-Diphosphate Carboxylase 231
Takeo, K.: Ultrastructure of Polymorphic *Mucor* as Observed by Means of Freeze-Etching. II. Vegetative Yeast Form Grown under Anaerobic Conditions 91
Takeo, K.: Ultrastructure of Polymorphic *Mucor* as Observed by Means of Freeze-Etching. III. Dormant Sporangiospore 99
Tanaka, A., s. Osumi, M., *et al.* 181
Teranishi, Y., s. Osumi, M., *et al.* 181
Trinci, A. P. J., s. Collinge, A. J. 353
Tso, Man-Yin W.: Some Properties of the Nitrogenase Proteins from *Clostridium pasteurianum*. Molecular Weight, Subunit Structure, Isoelectric Point and EPR Spectra 71
Tsuboi, M., Kondo, K., Yanagishima, N.: Inhibition of Sporulation by Ethidium Bromide and Its Reversal by Fermentable Sugars in *Saccharomyces cerevisiae* 295
Tuttle, J. H., Holmes, P. E., Jannasch, H. W.: Growth Rate Stimulation of Marine Pseudomonads by Thiosulfate 1
Tyson, G. E.: Ultrastructure of a Spirochete Found in Tissues of the Brine Shrimp, *Artemia salina* 281
de Vasconcelos, L., s. Fay, P. 221
Violante, U., s. Rigano, C., *et al.* 81
Vollbrecht, D., s. Hieke, E. 345
Yanagishima, N., s. Tsuboi, M., *et al.* 295
Youssef, Y. A.: On the Fungal Flora of Libyan Soils 167
Zähner, H., s. Hasenböhler, A., *et al.* 307
Zeiler, H.-J., s. Hasenböhler, A., *et al.* 307

Indexed in Current Contents

Instructions to Authors

General

Papers should preferably be **written in English,** but papers in German and French will also be accepted.

A paper should be written only when a piece of work is rounded off. Authors should not be seduced into writing a series of papers on the same subject as results come to hand. It is better to wait until a comprehensive paper can be written.

Two types of papers are accepted by the editors: full-length papers and short communications. **No paper should exceed 32 printed pages in length.** The text should be as clear and concise as possible. Illustrations should be restricted to the minimum needed to illustrate the points made if they cannot be described in the text, to summarize, or to record important quantitative results. The same data should not be presented in both table and graph forms.

To allow faster publication, the text is made up into pages before the proofs are sent out. Therefore the author should mark in the margin where figures and tables may be inserted, and both form and content of the manuscript should be carefully checked to exclude the need for corrections in proof. A charge will be made for changes introduced after the manuscript has been set in type. However, new results may be given at the end of the paper in a "Note Added in Proof".

Short reports of new results of special interest can be published out of turn as **Short Communications.** They should not be longer than 3 printed pages (= 5 pages of double-spaced typescript), including any tables. The Editors reserve the right to decide what constitutes a short communication.

To ensure rapid and accurate publication it is essential that manuscripts conform to the instructions which follow.

When setting out his manuscript the author should consult a copy of the journal and conform with its normal practice. To speed up editorial scrutiny, manuscripts should be submitted in duplicate, typed in double-line spacing with wide margins.

It is a fundamental condition that manuscripts submitted have not been published before, and the author must undertake not to publish elsewhere at a later date.

Arrangement of the Manuscript

The **title page** should comprise: title of paper, first name(s) and surname(s) of author(s), laboratory or institution, any footnotes to the title (indicated by asterisks), running title (not more than 67 typewriter strokes, including spaces), address to which proofs are to be sent, and a list of non-standard abbreviations. Standard abbreviations as used in the biochemical literature, e.g. European J. Biochem. 1, 259—266 (1967), need not be defined.

Each paper should be preceded by a brief **abstract** from which the reader should be able to determine quickly whether the subject of the particular paper relates to his specific needs. Further, if the abstract clearly relates the problem, methods, results and conclusions reported by the article, it can be used immediately by current awareness publications or other information retrieval systems.

The abstract should be as short as possible and should not exceed 200 words, or 100 in the case of short communications. Normally, complete sentences, active verbs and the third person should be used and the abstract should be written in the past tense. Standard nomenclature should be used. Abbreviations should not be used. Unfamiliar terms and symbols should be defined the first time they occur.

Papers not in English should have in addition an English abstract, preceded by an English translation of the title of the paper.

Immediately following the abstract, up to **ten key words** should be supplied, indicating the scope of the paper.

Taxonomic names (genus, species and strains) and any part of the text requiring emphasis should be marked for italics by underlining.

Descriptions of method and less important parts of the text should be marked for **small print.**

The **introduction** (not so headed) should be concise and define the scope of the work in relation to other work done in the same field. It should not as a rule give an exhaustive review of the literature. **Materials and Methods** should give sufficient detail to allow the experiments to be repeated, but there is no value in detailed descriptions unless of a genuine innovation.

References to the **strains** under investigation should be given: genus, species and variety name (italics), designation of the strain, collection number or source. When a new bacterial name is proposed please contact an international authority on nomenclature.

Results should be presented with clarity and precision. The discussion should be confined to the interpretation of the results without repeating them.

Footnotes which do not refer to the heading of the article should be numbered consecutively and typed on a separate sheet.

References to the **literature** in the text should be by author and year; where there are two authors, both should be named, but with three or more only the first author's name plus "*et al.*" need be given. The list at the end of the paper should include only works mentioned in the text and should be arranged alphabetically by name of first author. Citations regarding "unpublished results" or papers "in preparation" are not to be mentioned.

References should be cited as follow: *journal papers*—names and initials of all authors, full title, journal as abbreviated in World Medical Periodicals, volume number, first and last page numbers, year in brackets; *books*—names and initials of all authors, full title, edition, place of publication, publisher and year.

Example of a journal paper citation:

Matthews, Th. R., Niederpruem, D. J.: Differentiation in *Coprinus lagopus*. II. Histology and ultrastructural aspects of developing primordia. Arch. Mikrobiol. **88**, 169—180 (1973)

Example of a book citation:

Esser, K., Kuenen, R.: Genetics of fungi. Berlin-Heidelberg-New York: Springer 1968

Example of an article quoted from a book:

Faith, W. T., Neubeck, C. E., Reese, E. T.: Production and application of enzymes. In: Advances in biochemical engineering, Vol. 1, T. K. Ghose, A. Fiechter, Eds., pp. 77—111. Berlin-Heidelberg-New York: Springer 1971

Responsibility for the accuracy of bibliographic references rests entirely with the author.

Figures are costly and should be used with discretion. An illustration is only justified if it clarifies or reduces the text. Information given in captions should not be repeated in the text. Coloured or previously published illustrations are not usually accepted.

Figures, graphs and tables should always be mentioned in the text and should be numbered with arabic numerals. A brief descriptive legend should be provided for each figure; legends are part of the text and should be appended to it on a separate page. Original drawings and photographs in a form suitable for reproduction should be submitted separately from the text. The top of the figure, the author, and the figure number should be written lightly in soft pencil on the back of each. Copies of the figures should be supplied with each copy of the manuscript.

Illustration copy should comprise:

Original line drawings: Clean lines of uniform thickness drawn in Indian ink, the whole about twice the size of the final block, and should not be larger than A 4 (2.3″ × 11.7″). Inscriptions should allow for reduction. For example for the figure 1 to be about 2 mm high in the final version, it must be 4 mm high for reduction × $^1/_2$.

Photographs: Sharp, well contrasted glossy prints trimmed at right angles; areas that are not essential should be cut off. Authors should label photographs with Letraset (Instant Lettering). Photos should be of a size to permit reproduction without (or with only slight) reduction within the print area of 108 × 177 mm ($4^1/_4$″ × 7″). Where possible, figures should be grouped so as to utilize the full print area.

The degree of reduction will be determined by the publishers, but in general it should be assumed that the same scale of reduction will apply to all figures in the same paper.

Note that inclusive **pagination** must be given.

Mailing: To avoid creasing please place manuscripts between pieces of cardboard when mailing.